



# Motor Oil 5W-30 Premium Synthetic C3 DPF

## Safety Data Sheet

05000DPF

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 06/08/2010

Revision date: 12/02/2014

version: 5.4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Motor Oil 5W-30 Premium Synthetic C3 DPF  
Product code : 05000DPF

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Automotive care products  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

MPM International Oil Company  
Cyclotronweg 1  
2629 HN Delft - Nederland  
T +31 (0)15 2514030 - F +31 (0)15 2514031  
[info@mpmoil.nl](mailto:info@mpmoil.nl) - [www.mpmoil.nl](http://www.mpmoil.nl)

#### 1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00)

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Centre Hospitalier Universitaire de Constantine	Avonley Road SE14 5ER London	0870 243 2241

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic 3 H412

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

CLP Signal word : -  
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects  
Precautionary statements (CLP) : P102 - Keep out of reach of children  
P273 - Avoid release to the environment  
P501 - Dispose of contents/container to officially registered waste disposal company

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

# Motor Oil 5W-30 Premium Synthetic C3 DPF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Zinc Alkyldithiophosphate	(CAS No) 68649-42-3 (EC no) 272-028-3 (REACH-no) 01-2119493635-27	< 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
diphenylamine	(CAS No) 122-39-4 (EC no) 204-539-4 (EC index no) 612-026-00-5	~ 0,1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:dust,mist), H331 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Branched Alkylfenol (M=1)	(CAS No) 121158-58-5 (EC no) 310-154-3 (REACH-no) 01-2119513207-49	~ 0,1	Skin Irrit. 2, H315 Repr. 2, H361f Aquatic Acute 1, H400 Aquatic Chronic 1, H410

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Zinc Alkyldithiophosphate	(CAS No) 68649-42-3 (EC no) 272-028-3 (REACH-no) 01-2119493635-27	( 5 =<C < 10) Eye Irrit. 2, H319 (C >= 10) Eye Dam. 1, H318

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General	: In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).
After inhalation	: Take victim to fresh air, in a quiet place and if necessary take medical advice.
After skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.
After eye contact	: Wash immediately with lots of water.
After ingestion	: If swallowed, do not induce vomiting: seek medical advice immediately and show this container label.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: In case of accident or if you feel unwell, seek medical advice immediately (show this label if possible).
-------------------	---

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: powder, alcohol-resistant foam, water spray, carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Although this substance has flammability data, it is difficult to ignite in air and is classified as non-flammable.
-------------	---

### 5.3. Advice for firefighters

Other information	: Use water spray/stream to protect personnel and to cool endangered containers.
-------------------	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Keep away from sources of ignition - No smoking.
------------------	--

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing and eye/face protection.
----------------------	--

#### 6.1.2. For emergency responders

Protective equipment	: Wear respiratory protection. Wear suitable protective clothing and gloves.
----------------------	--

### 6.2. Environmental precautions

Avoid release to the environment. Prevent spreading over great surfaces (e.g. by damming or installing oil booms). Notify authorities if liquid enters sewers or public waters.

# Motor Oil 5W-30 Premium Synthetic C3 DPF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.3. Methods and material for containment and cleaning up

For containment	: Prevent spreading over great surfaces (e.g. by damming or installing oil booms).
Methods for cleaning up	: Clean up with absorbent material (for example sand, sawdust, neutral absorbent granule, silica gel).
Other information	: Can be slippery on hard, smooth walking area.

### 6.4. Reference to other sections

Information on disposal - see Section 13. Information on personal protective equipment - see Chapter 8. Information on safe handling - see Section 7.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Remove all sources of ignition.
Hygiene measures	: When using do not eat, drink or smoke. Wash hands before breaks and at the end of work.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Provide for sufficient ventilation and punctiform suction at critical points.
Storage conditions	: Store in original container.
Incompatible products	: Do not use with strong oxidizing agents, nor with strong acids or strong bases.
Storage temperature	: < 40 °C
Storage area	: Ensure adequate ventilation of the storage area. Keep container tightly closed and dry.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Additional information	: Based on ACGIH TLV, a concentration of 5 mg/m <sup>3</sup> oilspray (TWA, 8 hour workday) is recommended.
------------------------	---

### 8.2. Exposure controls

Technical measures	: If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured.
Hand protection	: None under normal use
Eye protection	: Safety glasses
Skin and body protection	: None under normal use
Respiratory protection	: Not necessary with sufficient ventilation

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Oily.
Colour	: Yellowbrown.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: -39 °C
Boiling point	: No data available
Flash point	: 230 °C COC
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 855 g/l @ 15°C
Solubility	: Water: practically insoluble
Log Pow	: No data available

# Motor Oil 5W-30 Premium Synthetic C3 DPF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Viscosity, kinematic	: 67 mm <sup>2</sup> /s 40 C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal use.

### 10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

None under normal use.

### 10.5. Incompatible materials

Oxidizing substances. Acids and bases.

### 10.6. Hazardous decomposition products

On burning: release of harmful/irritant gases/vapours e.g.: carbon monoxide - carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### Zinc Alkyldithiophosphate (68649-42-3)

LD50 oral rat	2230 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

#### Motor Oil 5W-30 Premium Synthetic C3 DPF

Viscosity, kinematic	67 mm <sup>2</sup> /s 40 C
----------------------	----------------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### diphenylamine (122-39-4)

LC50 fish 1	3,79 mg/l @ 96 h
EC50 Daphnia 1	0,31 mg/l @ 48 h
EC50 other aquatic organisms 2	1,5 mg/l @ 72 h , Algae
NOEC (chronic)	0,16 mg/l @ 21 d (Daphnia Magna)

#### Zinc Alkyldithiophosphate (68649-42-3)

LC50 fish 1	1 - 5 mg/l @ 96h
EC50 Daphnia 1	1 - 1,5 @ 48 h
EC50 other aquatic organisms 2	1 - 5 mg/l Algae @ 96 h
NOEC (acute)	1 mg/l @ 96 h ( Fish )
NOEC chronic algae	1 mg/l @ 96 h

# Motor Oil 5W-30 Premium Synthetic C3 DPF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Branched Alkylfenol (M=1) (121158-58-5)</b>	
LC50 fish 1	No data available

### 12.2. Persistence and degradability

<b>Motor Oil 5W-30 Premium Synthetic C3 DPF</b>	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.

<b>diphenylamine (122-39-4)</b>	
Biodegradation	26 % @ 28d Closed bottle

<b>Zinc Alkyldithiophosphate (68649-42-3)</b>	
Persistence and degradability	No data available.

<b>Branched Alkylfenol (M=1) (121158-58-5)</b>	
Persistence and degradability	No data available.

### 12.3. Bioaccumulative potential

<b>diphenylamine (122-39-4)</b>	
Bioconcentration factor (BCF REACH)	51 - 253
Log Kow	3,4 @ 0.1d
Bioaccumulative potential	Moderate bioconcentration.

<b>Zinc Alkyldithiophosphate (68649-42-3)</b>	
Bioaccumulative potential	not determined.

<b>Branched Alkylfenol (M=1) (121158-58-5)</b>	
Bioaccumulative potential	No additional information available.

### 12.4. Mobility in soil

<b>diphenylamine (122-39-4)</b>	
Mobility in soil	365
Log Koc	2,54
Soil	Low mobility (soil).

<b>Zinc Alkyldithiophosphate (68649-42-3)</b>	
Soil	No data available.

<b>Branched Alkylfenol (M=1) (121158-58-5)</b>	
Soil	No data available.

### 12.5. Results of PBT and vPvB assessment

Component	
diphenylamine (122-39-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Waste disposal according to official state regulations.
Waste materials	: After use, this oil must be sent to a used oil collecting location. Incorrect disposal of used oil endangers the environment. Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden.
European List of Waste (LoW) code	: 13 02 00 - Waste engine, gear and lubricating oils. 13 02 05- Mineral-based non-chlorinated engine, gear and lubricating oils. 15 01 10 Packaging containing residues of or contaminated by dangerous substances

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

# Motor Oil 5W-30 Premium Synthetic C3 DPF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### IMDG

Transport hazard class(es) (IMDG) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

No data available

#### - Transport by sea

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Indication of changes:

	Revision date	Modified	
3	Composition/information on ingredients	Added	
13.1	Waste materials	Added	

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.

# Motor Oil 5W-30 Premium Synthetic C3 DPF

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H361f	Suspected of damaging fertility
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### SDS MPM REACH

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*